

# RADIK PLAN KLASIK, LINE KLASIK




## Description


**RADIK PLAN KLASIK (RADIK LINE KLASIK)** is a steel panel radiator in KLASIK version and in PLAN (LINE) version which allows **left or right side connection** to the heating system circuit. It is intended for heating systems which are gravity or pressure fed.

Two upper and lower hangers are welded at the back of the radiator. Radiators 1800 mm long and longer have six welded hangers.

## Overview of types




**Type 11 PLAN/LINE**




**Type 21 PLAN/LINE**



**Type 22 PLAN/LINE**




**Type 33 PLAN/LINE**



## Technical data

Height H	300, 400, 500, 600, 700, 900 mm
Length L	400, 500, 600, 700, 800, 900, 1000, 1100, 1200, 1400, 1600, 1800, 2000 mm
Connecting pitch	$h = H - 54$ mm
Connecting thread	4 x G1/2 inside
Highest allowed working pressure	10 bar
Highest allowed working temperature	110 °C
Radiator connection	left or right side

## Examples of connection to the heating system



side - one side  
 $\varphi = 1$



side - two sides diagonal  
 $\varphi = 1$   
recommended for:  $L \geq 3 \times H$



side - two sides direct  
 $\varphi = 0,9$

Guidelines for ordering are described on page 92.

The company reserves the right to make technical changes.